

June 2008

TORLON HILL ZINC PROJECT

Summary of significant zinc & lead intercepts 2006-2007 Drilling Program

FIRST DRILL CAMPAIGN, Feb-Mar 2006

Hole Number	Total Depth (meters)	From (meters)	To (meters)	Thickness (meters)	Zinc %	Lead %	Silver ppm
TH06-1	30.4	0.0	28.8	28.8	11.2	1.9	8.0
	Including	0.0	15.7	15.7	17.4	1.6	9.0
TH06-2	57.9	0.0	33.0	33.0	21.0	1.4	8.0
	Including	7.0	11.0	4.0	39.5	2.7	12.0
		14.1	17.1	3.0	42.3	0.6	<1
TH06-3	48.8	0.0	16.1	16.1	8.9	2.7	11.0
	Including	0.0	4.6	4.6	15.0	1.5	29.0
		24.1	30.0	5.9	4.7	0.2	1.0
		33.5	45.1	11.6	6.9	2.5	16.0
TH06-4	80.8	9.1	11.1	2.0	8.9	6.5	23.0
		36.6	41.9	5.3	7.0	0.9	7.0
		66.4	69.3	2.9	7.4	2.1	7.0
TH06-5	79.2	1.5	4.6	3.1	10.1	3.5	35.0
		16.0	23.0	7.0	7.6	3.4	35.0
		25.0	31.0	6.0	14.0	4.3	33.0
		33.0	35.0	2.0	10.1	0.5	3.0
TH06-6	73.2	38.1	41.1	3.0	4.0	2.7	30.0
TH06-7	86.6	3.1	4.6	1.5	14.0	4.0	39.0
		35.1	43.7	8.6	8.4	1.2	20.0
		72.1	82.8	10.7	7.2	1.6	16.0
	Including	72.1	75.6	3.5	19.2	2.2	33.0
TH06-8	83.8	13.7	38.1	24.4	2.3	1.6	13.0
		13.7	16.8	3.1	6.4	0.5	10.0
		71.4	77.7	6.3	7.2	2.5	19.0
	Including	71.4	74.6	3.2	11.0	3.4	26.0
TH06-9	120.4	93.0	96.0	3.0	6.8	2.8	15.0
		102.1	105.2	3.1	9.6	4.6	21.0
TH06-10	115.8	45.7	47.2	1.5	17.6	1.7	9.0
		89.9	91.4	1.5	5.1	1.0	13.0

Hole Number	Total Depth (meters)	From (meters)	To (meters)	Thickness (meters)	Zinc %	Lead %	Silver ppm
TH06-11	103.6	13.7	15.2	1.5	3.6	0.6	7.0
TH06-12	77.7	44.2	48.8	4.6	5.9	0.2	<1
		51.8	57.9	6.1	11.7	0.3	1.0
TH06-13	61.0	0.0	53.3	53.3	10.2	1.7	13.0
	Including	0.0	15.5	15.5	15.8	1.4	5.0
	Including	7.9	10.5	2.6	33.1	0.3	1.0
	Including	19.3	25.9	6.6	14.9	2.2	17.0
		42.7	50.3	7.6	9.3	3.4	29.0
TH06-14	61.0	0.0	46.7	46.7	12.5	0.4	5.0
	Including	0.0	12.2	12.2	10.8	1.5	13.0
	Including	22.9	46.7	23.8	17.9	0.1	1.0
TH06-15	73.2	67.8	71.6	3.8	3.0	0.8	<1
TH06-16	44.2	16.8	19.8	3.0	13.4	5.4	37.0
		22.9	25.9	3.0	8.2	1.6	15.0
		27.4	35.0	7.6	10.7	1.3	8.0
TH06-17	57.3	Zinc values generally less than .01%, highest is 0.48%					
TH06-18	44.2	Zinc values generally higher than TH06-17, highest is 0.54%					
TH06-19	48.8	Zinc values generally less than .005%, highest is 0.14%					
TH06-20	42.7	Variable zinc values up to 1.25%, 18.2 ppm silver, up to 4.15% Pb					
TH06-21	27.4	Variable zinc values, up to 2.02%, 28.5 ppm silver, up to 1.49% Pb					
TH06-22	24.4	Most zinc values between 0.13% to 0.42% and up to 10.6 ppm silver					
TOTAL	1,442.1	Meters					

Continued on Page 2 (Second Drill Campaign)/...

Toll-Free 1-888-221-5588

Investor Contact:

info@firestoneventures.com

Head Office:

#220 17010 - 103rd Avenue
Edmonton, Alberta T5S 1K7

Tel: (780) 428-3465

Fax: (780) 428-3476

SECOND DRILL CAMPAIGN, Nov 2006 - May 2007

Hole Number	Total Depth (meters)	From (meters)	To (meters)	Thickness (meters)	Zinc %	Lead %	Silver ppm	Hole Number	Total Depth (meters)	From (meters)	To (meters)	Thickness (meters)	Zinc %	Lead %	Silver ppm
TH06-23	25.9	0.0	22.9	22.9	11.3	3.4	25.0	TH06-43	32.0	6.0	24.4	18.4	18.0	2.4	14.0
	including	7.6	21.3	13.7	26.6	4.6	25.0		including	18.2	24.4	6.2	33.6	1.2	4.0
TH06-24	44.2	0.0	12.2	12.2	17.2	1.3	4.0	including	21.7	24.4	2.7	45.4	1.3	4.0	
		19.8	25.9	6.1	10.1	1.7	5.0	TH07-44	45.7	0.0	1.5	1.5	33.9	1.2	11
		39.6	42.7	3.1	8.0	3.6	25.0			11.5	40.8	29.3	12.4	4.2	18
TH06-25	30.5	0.0	3.0	3.0	4.4	3.4	18.0	including	29.5	40.8	11.3	18.4	8.6	35	
		9.1	18.0	8.9	21.6	3.4	28.0	including	36.8	40.8	4.0	26.8	12.3	41	
		25.9	29.1	3.2	19.5	9.6	30.0	TH07-45	51.5	7.6	14.0	6.4	1.3	1.1	6
TH06-26	42.7	13.7	22.8	9.1	16.2	2.9	27.0	TH07-46	30.5	15.2	29.0	13.7	2.4	3.0	13
		37.3	39.2	1.9	14.9	5.6	45.0	including	15.2	17.0	1.8	7.2	0.3	2	
TH06-27	54.9	0.0	2.7	2.7	13.1	1.7	13.0	TH07-47	109.7	22.9	27.3	4.4	0.1	1.6	30
		27.4	47.2	19.8	13.2	2.9	20.0	TH07-48	161.5	66.3	70.1	3.8	2.0	1.9	20
TH06-28	67.1	2.5	7.6	5.1	11.1	3.5	20.0		79.0	84.0	5.0	5.0	0.4	3	
		33.0	48.8	15.8	19.5	2.3	16.0		156.6	161.0	4.4	1.2	0.3	2	
TH06-29	59.4	6.1	9.1	3.0	10.4	0.5	4.0	TH07-49	150.9	78.0	82.3	4.3	11.6	1.5	20
		25.3	29.7	4.4	3.1	6.5	23.0	TH07-50	127.4	54.0	56.0	2.0	1.1	4.7	45
		44.5	45.7	1.2	4.7	4.3	55.0		86.0	88.4	2.4	1.1	0.7	1	
		51.8	54.9	3.1	14.5	4.5	37.0	TH07-51	114.3	20.0	28.0	8.0	0.4	0.6	1
TH06-30	39.6	16.8	25.9	9.1	2.3	2.8	16.0		56.0	68.0	12.0	0.6	0.5	1	
TH06-31	51.8	22.9	32.0	9.1	12.0	5.1	41.0	TH07-52	97.5	Zinc values up to 0.5%, lead values up to 0.4%					
		37.9	40.7	2.8	5.5	7.5	38.0	TH07-53	147.8	55.5	98.0	42.5	9.7	4.7	20
TH06-32	39.6	30.5	33.6	3.1	14.6	11.0	65.0	Including	55.5	58.7	3.2	10.6	13.0	88	
TH06-33	21.3	10.4	16.5	6.1	3.1	8.2	48.0	Including	71.6	73.5	1.9	25.5	4.9	18	
TH06-34	47.2	36.3	39.3	3.0	3.5	1.5	19.0	Including	71.6	91.5	19.9	13.8	5.2	15	
TH06-35	25.9	20.0	24.0	4.0	1.3	0.1	2.0	Including	79.3	80.8	1.5	27.6	1.8	12	
TH06-36	45.7	31.3	37.4	6.1	8.0	2.5	25.0	TH07-54	132.6	114.0	115.4	1.4	1.7	0.6	4
	including	32.8	36.0	3.2	13.7	4.0	38.0	TH07-55	147.8	40.0	42.0	2.0	1.1	0.7	8
TH06-37	96.0	18.6	19.4	0.8	2.6	2.5	<1		77.0	79.0	2.0	3.3	0.3	10	
		36.0	38.0	2.0	13.0	2.4	10.0		82.9	84.6	1.7	1.7	0.5	3	
		60.0	68.0	8.0	1.9	1.7	10.0		89.9	96.0	6.1	1.6	1.1	4	
		90.0	93.8	3.8	5.3	3.7	22.0	TH07-56	166.7	78.2	89.9	11.7	2.0	2.0	12
TH06-38	91.4	32.0	44.5	12.5	5.1	6.6	26.0	including	80.8	81.7	0.9	7.7	4.7	37	
		72.0	73.7	1.7	2.9	4.8	20.0		101.3	108.2	6.9	1.3	0.4	5	
		84.1	87.1	3.0	9.8	7.1	26.0		158.9	161.5	2.6	1.2	0.1	<1	
TH06-39	71.6	0.0	15.2	15.2	7.1	3.3	14.0	TH07-57	146.3	66.0	75.7	9.7	9.1	5.2	12
	including	0.0	4.6	4.6	17.9	2.0	8.0	including	72.5	74.0	1.5	36.3	0.6	6	
		27.4	47.6	20.2	2.4	1.2	11.0	TH07-58	163.1	100	135.6	35.6	0.3	0.1	<1
		56.4	57.9	1.5	2.2	25.6	108.0	TH07-59	163.1	64	68	4.0	0.8	2.6	10
TH06-40	47.2	0.0	16.7	16.7	16.2	3.8	12.0		77	88.4	11.4	0.4	5.7	21	
	including	0.0	4.6	4.6	27.9	2.6	18.0		106.7	126.5	19.8	0.2	<0.1	4	
		25.9	44.8	18.9	8.8	3.5	21.0	TH07-60	138.0	90	94	4.0	1.0	0.2	2
	including	35.2	36.6	1.4	33.8	2.4	10.0	TH07-61	129.5	30	38	8.0	0.3	0.5	4
TH06-41	35.7	3.1	28.7	25.6	10.1	3.8	15.0		116	118	2.0	1.1	0.6	3	
	including	12.2	17.0	5.1	23.9	8.4	36.0	TH07-62	106.7	98	102	4.0	2.7	0.2	3
		64.9	67.0	2.1	5.4	8.4	29.0	TH07-63	86.9	39.3	40.7	1.4	1.3	1.1	2
TH06-42	48.8	6.1	31.5	25.4	9.1	2.0	21.0	TH07-64	57.9	Metallurgical hole, not assayed					
	including	13.1	27.0	13.9	13.2	2.1	27.0	Total	3,493.9						

THIRD DRILL CAMPAIGN, Jan 2008 - May 2008

Hole Number	Total Depth (meters)	From (meters)	To (meters)	Thickness (meters)	Zinc %	Lead %	Silver ppm
TH07-65		14.0	29.3	15.3	10.1	2.6	14.6
	including	14.0	17.0	3.0	4.9	2.7	11.5
	including	21.3	24.0	2.7	25.6	5.0	26.8
	including	25.2	29.3	4.1	14.7	2.4	13.60
TH07-69	74.7	33.4	60.0	26.6	2.9	1.7	12.4
	including	33.4	36.4	3.0	5.5	6.6	32.8
	including	41.0	47.0	6.0	5.7	2.3	27.6
	including	57.4	58.4	1.0	5.9	1.9	8.0
TH07-70	73.8	14.8	71.2	56.4	4.3	1.8	12.1
	including	33.0	57.0	24.0	7.9	2.0	15.2
	including	33.0	36.1	3.1	11.1	5.2	38.2
	including	46.0	57.0	11.0	11.2	1.8	15.5
TH07-71	85.97	32.0	43.8	11.8	8.3	2.1	14.8
	including	37.4	43.8	6.4	12.7	1.5	16.5
	also	56.0	62.0	6.0	0.4	5.0	18.7
	also	72.0	80.5	8.5	0.5	1.8	5.5
TH08-73	107.31	89.93	94.70	4.77	5.35	2.30	16.14
TH08-74	129.26	47.25	49.50	2.25	8.51	3.03	20.47
	and	68.44	108.07	39.63	5.14	1.81	17.81
	including	69.96	79.26	9.30	6.41	2.76	37.11
	including	88.94	92.07	3.13	9.92	3.24	20.07
	including	100.30	103.50	3.20	12.53	2.04	23.50
	and	125.10	126.21	1.11	11.35	4.70	32.00
TH08-75	141.76	56.00	71.00	15.00	4.44	1.29	9.67
	including	56.00	60.97	4.97	6.69	0.87	11.77
TH08-76	158.23	58.00	65.57	7.54	5.90	8.22	38.34
	including	60.89	64.02	3.05	11.67	1.96	16.12
	and	98.17	101.98	3.81	4.32	1.36	4.99
	and	112.10	117.37	5.27	4.47	2.42	7.44
	and	134.60	137.50	2.90	10.05	5.49	23.00
	and	140.70	142.98	2.28	4.56	1.76	8.00
	and	149.00	150.91	1.91	4.92	1.83	15.00
TH08-77	127.74	21.00	23.00	2.00	4.66	0.34	4.00
TH08-78	37.91	20.00	32.01	12.01	6.58	3.46	20.48
TH08-80	19.81	0.00	19.81	19.81	10.01	4.66	13.83
	including	13.26	15.16	1.90	23.80	9.11	22.00
TH08-81	28.35	0.00	3.20	3.20	20.42	6.02	23.38
	also	11.28	17.91	6.63	29.41	5.50	20.92
TH08-82	20.73	0.00	3.04	3.04	17.65	2.60	10.00
TH08-83	25.60	0.00	3.00	3.00	9.43	5.91	34.00
	also	15.24	18.29	3.05	3.77	5.32	21.00
TH08-85	33.52	0.00	13.00	13.00	4.10	2.25	7.50
	also	24.39	30.25	5.86	4.81	2.14	23.00

Hole Number	Total Depth (meters)	From (meters)	To (meters)	Thickness (meters)	Zinc %	Lead %	Silver ppm
TH08-86	82.3	66.60	70.00	3.40	1.10	0.40	<1
	Note: lost hole at 82m; target depth was 120m						
TH08-86A	117.34	42.00	106.00	64.00	Zn + Pb > 0.1% up to 0.52%		
TH08-87	163.06	64.00	132.00	68.00	Zn + Pb > 0.1% up to 0.87%		
		154.00	160.00	6.00	Zn + Pb > 0.12% up to 0.25%		
	Note: Holes 88, 89, 90 drilled to offset hole 53						
TH08-88	149.35	56.00	74.00	18.00	5.08	3.69	31.00
	including	68.00	72.00	4.00	13.18	5.37	27.00
		86.00	104.00	18.00	6.85	2.69	18.00
	including	90.00	94.00	4.00	16.15	1.15	17.00
TH08-89	147.52	50.00	56.00	6.00	5.39	1.88	14.00
		96.00	98.00	2.00	0.19	3.29	9.00
TH08-90	156.66	68.58	71.62	3.04	13.71	3.96	74.00
	including	68.58	70.10	1.52	23.20	4.91	137.00
		89.91	91.44	1.53	1.48	1.34	41.00
TH08-91	68.58	0.00	35.00	35.00	Zn + Pb > 0.1% up to 0.65%		
		40.00	63.00	23.00	Zn + Pb > 0.1% up to 0.55%		
TH08-92	80.48	20.00	24.00	4.00	Zn + Pb > 0.1% up to 0.11%		
TH08-93	91.46	53.64	55.00	1.36	3.40	6.10	15.00
TH08-94	99.08	46.00	48.00	2.00	Zn + Pb = 0.3%		
TH08-95	97.53	0.00	8.00	8.00	Zn + Pb > 0.1% up to 0.11%		
		16.00	26.00	10.00	Zn + Pb > 0.12% up to 0.18%		
		78.00	80.00	2.00	Zn + Pb = 0.13%		
TH08-96	170.12	118.00	138.00	20.00	Zn + Pb > 0.12% up to 0.27%		
TH08-97	94.18	64.00	72.00	8.00	Zn + Pb > 0.13% up to 0.17%		
TH08-98	178.31	92.00	94.00	2.00	Zn + Pb = 0.12%		
TH08-99	185.97	24.00	28.00	4.00	Zn + Pb > 0.1% up to 0.12%		
		98.00	104.00	6.00	Zn + Pb > 0.13% up to 0.16%		
		152.00	168.00	16.00	Zn + Pb > 0.12% up to 0.24%		
TH08-100	35.96	0.00	2.00	2.00	Zn + Pb = 0.1%		
		12.00	20.00	8.00	Zn + Pb > 0.1% up to 0.14%		
TH08-101	86.86	18.00	20.00	2.00	Zn + Pb = 0.11%		